

## Eagle Sports Car Special

### G19 Eagle

- Premium asphalt tire
- Smooth tread design for increased steering response
- Consistent, repeatable performance for improved cost efficiency
- Compounds enhance tread life
- R475 compound for front wheel drive cars

G19



## Eagle Sports Car Special

### G19 Formula Eagle

- Dry cornering, traction and stability
- Large selection of compounds for different track conditions
- Great handling and traction
- Quick steering response

G19 Formula



Product Code	Size	Soft to Harder					MSRP	Rim Width	Overall Diam	Section Width	Tread Width	Weight
--------------	------	----------------	--	--	--	--	------	-----------	--------------	---------------	-------------	--------

## GT & Production

		R175	R250	R430	R475	R600						
807-434-068 Matl. No.	20.0x8.0-13	1704 190754	2169 193081	1705 186806	1940 190591		\$184	6.0	20.1	9.1	8.0	13.0
807-685-068 Matl. No.	20.0x9.5-13		1709 186808	1711 186809	1942 190592		\$205	7.0	19.9	10.2	9.2	14.2
807-486-068 Matl. No.	21.0x10.0-13				1726 186807		\$230	7.0	21.0	10.2	9.7	16.0
807-889-068 Matl. No.	23.0x8.0-15		1772 186830	1774 188614			\$220	7.0	22.6	10.0	8.4	16.3
807-409-104 Matl. No.	23.0x9.0-15		2069 192563	1782 187256	1873 190097	1783 188512	\$240	7.0	23.0	10.4	9.3	18.0

## Sports GT

		R250	R430	R475	R600							
807-493-068 Matl. No.	25.0x11.0-15				1955 190756		\$213	10.0	25.3	12.2	10.5	24.0
807-674-059 Matl. No.	27.0x11.0-15				1956 190695		\$218	10.0	26.8	13.3	10.9	22.1
807-220-068 Matl. No.	23.5x10.5-16			1651 23334			\$303	11.0	23.3	11.8	10.1	18.0
807-939-068 Matl. No.	23.5x11.5-16		2154 193117	1653 23477			\$329	11.0	23.8	11.6	10.6	19.0
807-320-068 Matl. No.	25.0x12.0-16			1660 23356		1661 23357	\$330	12.0	24.6	13.5	11.7	21.0
807-322-068 Matl. No.	25.0x13.0-16		1980 190533	1570 184222			\$331	12.0	24.5	13.7	12.4	22.5
807-764-068 Matl. No.	27.0x14.0-16		1981 190535	1571 184247			\$352	14.0	26.6	15.9	13.7	26.5

## Formula

		R160	R175	R250	R430	R475	R620						
807-089-068 Matl. No.	20.0x6.5-13 FF	2553 218893			2538 204594			\$180	6.0	20.5	7.7	6.4	8.5
807-274-068 Matl. No.	22.5x7.5-13 FF	2571 193352			2539 204595			\$220	5.5	22.4	10.2	7.4	15.2
807-299-068 Matl. No.	20.0x7.0-13 FC/F2000/FM	2566 218117		2574 218728	2568 218518	2526 199320	2655 212640	\$193	6.0	20.5	8.7	7.2	10.0
807-434-068 Matl. No.	20.0x8.0-13 CSR/FM	1763 188513	1995 190748	2499 204958				\$193	8.0	20.0	9.1	7.7	11.0
807-135-068 Matl. No.	22.0x10.0-13 CSR/FM	1764 188511	1996 190746	2500 204955				\$226	10.0	22.3	11.7	9.8	14.0
807-961-068 Matl. No.	20.0x9.5-13 FA	2452 215366	1951 190697					\$208	10.0	20.3	10.9	9.1	9.5
807-684-068 Matl. No.	22.0x9.0-13 FA/FM/FC/ S2000	2567 218519		2575 218729	2569 218520	2527 199331	2656 213001	\$215	8.0-10.0	22.5	11.3	9.2	14.4
807-915-068 Matl. No.	23.0x13.0-13 FA	2453 215365	1953 190696					\$275	14.0	23.0	16.1	12.3	20.0
807-975-068 Matl. No.	21.0x5.0-15 FV				2814 214914			\$165	4.0	21.5	5.2	4.3	9.0
807-199-068 Matl. No.	22.5x5.5-15 FV				2815 214913			\$178	4.0	22.3	6.2	5.2	10.1

## Eagle Sports Car Special Spec Racer Ford

- Compound for Excellent traction and long wear
- Construction only for Spec Racer Ford

Rain

Dry



## Eagle Sports Car Special - Rain G-18 Eagle, F-1 Eagle

- Open tread pattern for full wet conditions
- Intermediate patterns for damp, drying conditions
- Compounds available for all classes

G18

F1



Product Code	Size	Soft to Harder		MSRP	Rim Width	Overall Diam	Section Width	Tread Width	Weight
<b>Formula SAE</b>		Dry	Rain						
807-299-068 Matl. No.	20.0x7.0-13	2697 217901		\$198	6.0-8.0	20.5	8.7	7.2	10.4
807-299-096 Matl. No.	20.0x7.0-13		2691 204480	\$220	6.0-8.0	20.5	8.7	7.2	10.6
<b>Spec Racer Ford</b>		Dry	Rain						
807-189-068 Matl. No.	22.0x7.0-13 Front	2525 199605		\$181	5.5	21.9	8.8	7.1	17.5
807-189-068 Matl. No.	22.0x7.0-13 Rear	2525 199605		\$181	7.0	21.8	9.4	7.1	17.5
807-189-096 Matl. No.	22.0x7.0-13 Front		2624 203952	\$183	5.5	22.4	8.8	7.1	16.0
807-189-096 Matl. No.	22.0x7.0-13 Rear		2624 203952	\$183	7.0	22.3	9.4	7.1	16.0
<b>Formula - Rain</b>		R065 (G-18)	R085 (G-18)						
807-089-096 Matl. No.	20.0x6.5-13 FF/SC/S2/FM	1883 190095		\$203	6.0	21.0	7.7	5.9	10.5
807-434-096 Matl. No.	20.0x8.0-13 CSR/FM		2840 173493	\$206	8.0	19.5	9.3	7.7	10.5
80-135-096 Matl. No.	22.0x10.0-13 CSR/FM		2841 173494	\$237	10.0	22.3	12.0	9.6	13.0
807-684-096 Matl. No.	22.0x9.0-13 FC/S2/FM	1318 172771		\$236	9.0	22.4	11.1	8.8	13.0
807-502-096 Matl. No.	22.5x7.5-13 FF	1319 172775		\$230	5.5	22.7	8.9	7.7	13.5
807-403-068 Matl. No.	21.0x5.5-15 FV	1481 189898		-	4.0	21.5	5.8	5.0	9.3
807-601-096 Matl. No.	23.0x5.0-15 FV		3000 200107	\$195	4.0	23.0	6.2	5.0	9.3
<b>Production &amp; GT Rain</b>		R085 (G-18)	R085 (F1)						
807-743-096 Matl. No.	20.5x7.5-13 GT		1079 156439	\$218	6.0	21.5	8.0	7.0	11.0
807-889-096 Matl. No.	23.0x8.0-15 GT		1275 169809	\$231	7.0	22.6	10.0	8.4	17.0
807-137-096 Matl. No.	23.0x10.5-16 GT	2258 193031		\$305	11.0	23.1	11.5	10.1	16.5
807-997-096 Matl. No.	25.0x12.0-16 GT	1446 181527		\$325	12.0	25.1	13.2	11.1	18.5
807-937-096 Matl. No.	27.0x12.0-16 GT	1447 181252		\$360	12.0	26.3	14.2	12.4	22.5

# Eagle Vintage Car Special

G-19, G-12, G-7, G-12A

G19

G12

G7

G12A



Product Code	Size	Soft to Harder				MSRP	Rim Width	Overall Diam	Section Width	Tread Width	Weight
<b>Blue Streak Special &amp; Can-Am</b>		R250	R430	R655	Firm						
807-051-068	5.50-15				3083						
Matl. No.	G-12				109086	\$250	5.0	25.5	8.5	6.6	14.5
807-051-068	5.50-15			3328							
Matl. No.	G-7			129830		\$255	6.0	22.8	7.5	6.4	12.0
807-052-068	6.00-15		3418	1724	1725						
Matl. No.	G-7		134404	187964	188102	\$275	8.0	25.5	10.6	8.4	17.0
807-073-068	26.5x8.0-15			2546							
Matl. No.	COBRA			121183		\$260	8.0	26.5	11.0	7.9	17.8
807-481-068	26.5x10.0-15			2547							
Matl. No.	COBRA			23417		\$260	10.0	27.0	12.9	10.2	22.3
807-118-068	7.00-15			1756	1757						
Matl. No.	G-7			188026	188103	\$262	9.0	26.8	12.0	8.7	18.7
807-289-068	8.00-15			1758	1759						
Matl. No.	G-7			188182	188250	\$270	10.0	26.8	13.1	10.1	19.7
807-410-068	23.0x10.5-15	2225	2415								
Matl. No.	G-19	192788	23386			\$290	10.0	23.4	11.8	10.4	16.9
807-048-068	27.0x14.0-15	2226	2416								
Matl. No.	G-19	192787	23286			\$338	17.0	27.0	18.5	14.8	15.3

## Vintage Indy

		R250									
387-321-097	25.5x10.5-15	6538									
Matl. No.	G-19	183541									
387-682-097	28.0x14.0-15	6535									
Matl. No.	G-19	183243									

## Vintage Stock Car

		Firm									
813-245-059	27.0x10.0-15			2560							
Matl. No.	G-19			214345							
813-674-059	27.0x11.0-15			1372							
Matl. No.	G-19			181174	\$203	9.5	27.0	11.8	11.0	25.5	

## Eagle Sports Car Radial

### G19 Eagle

- Premium asphalt tire
- Smooth tread design for increased steering response
- Consistent repeatable performance for improved cost efficiency
- Compounds enhance tread life

G19



## Eagle Sports Car Radial - Rain

### G18 Eagle

- Open tread pattern for full wet conditions
- Intermediate patterns for damp drying conditions
- Compounds available for all classes

G18



Product Code	Size	Soft to Harder						MSRP	Rim Width	Overall Diam	Section Width	Tread Width	Weight	
<b>Sports Car Radial</b>														
		R160	R210	R250	R430	R475	R620	R800						
387-236-097	23.5x10.5-16		5875		5876				\$463	10.0	23.5	11.2	10.6	18.0
Matl. No.	GT		80773		80774									
387-112-097	25.5x12.0-16		5880		5881				\$479	12.0	25.5	13.5	12.2	24.5
Matl. No.	GT		80758		80759									
387-168-097	25.5x14.0-16		5886		5887				\$489	14.0	25.4	15.2	14.0	24.5
Matl. No.	GT		80764		80765									
387-206-097	27.0x13.0-16		5889		5890				\$505	12.0	27.0	14.4	12.9	26.5
Matl. No.	GT		80768		80769									
387-110-097	25.5x12.0-16					6731			\$388	12.0	25.5	13.5	12.2	24.5
Matl. No.	GT1					192782								
387-120-097	27.0x13.0-16					6732			\$408	12.0	27.0	14.4	12.9	26.5
Matl. No.	GT1					192785								
387-160-097	25.5x14.0-16			4331	4333				\$419	12.0	25.5	14.1	14.0	25.0
Matl. No.	GT1				216682									
387-132-097	28.5x14.5-16			6898	4265				\$450	13.0	28.5	15.4	14.8	28.5
Matl. No.	GT1			198505	212633									
387-301-097	23.0x9.5-15	6902							\$344	10.0	22.9	10.7	9.7	16.0
Matl. No.	FA	198657												
387-288-097	24.0x130-15	4262							\$374	14.0	23.7	14.0	11.7	20.5
Matl. No.	FA	210522												
387-063-097	21.5x8.0-13			4199	4191		4282	4284	\$286	9.0	21.6	9.8	8.2	13.2
Matl. No.	FM			207527	207119		214756	214757						
387-061-097	22.5x11.0-13			4200	4192		4283	4285	\$302	11.0	22.6	12.2	10.6	16.4
Matl. No.	FM			207610	207115		214752	214753						

<b>Sports Car Radial Rain</b>														
			R065	R080	R085									
387-236-097	23.5x10.5-16		6756	6416					\$463	10.0	23.5	11.2	10.6	23.5
Matl. No.	GT		194838	174161										
387-112-097	25.5x12.0-16		6757						\$479	12.0	25.5	13.4	12.5	24.5
Matl. No.	GT		194836											
387-160-097	25.5x14.0-16				4334				\$478	12.0	25.5	14.1	14.0	30.0
Matl. No.	GT1				216683									
387-132-097	28.5x14.5-16				6673				\$510	13.0	28.5	15.4	14.8	36.6
Matl. No.	GT1				206847									
387-063-097	21.5x8.0-13			4286					\$328	9.0	21.6	9.8	8.2	15.1
Matl. No.	FM			214758										
387-061-097	22.5x11.0-13			4287					\$345	11.0	22.6	12.2	10.6	19.0
Matl. No.	FM			214754										



## Eagle D.O.T. Radial - Sports Eagle RS

- D.O.T. approved
- Intended for racetrack use only
- Tread compound designed for racetrack conditions
- Premium sidewall styling

Eagle RS



Product Code	Size	Soft to Harder		MSRP	Rim Width	Overall Diam	Section Width	Tread Width	Weight
<b>Eagle RS DOT</b>		AC	RC						
387-082-100 Matl. No.	P205/50ZR15	4346 217622	4292 215022	\$210	6.5	23.1	8.8	8.0	18.5
387-138-100 Matl. No.	P225/45ZR15	4347 218864	4293 215021	\$225	7.5	23.1	9.4	8.8	19.0
387-261-100 Matl. No.	P275/45ZR16	4354 217819	4309 217817	\$262	9.0	25.6	10.7	9.5	23.0
387-319-100 Matl. No.	P225/45ZR17	4357 219013	4340 217147	\$250	7.5	25.0	9.1	8.3	20.8
387-070-100 Matl. No.	P245/40ZR17	4348 217628	4294 215705	\$262	8.5	25.1	10.0	9.2	21.6
387-109-100 Matl. No.	P275/40ZR17	4349 218738	4295 215364	\$275	9.5	25.6	11.4	10.5	24.8
387-108-097 Matl. No.	P315/35ZR17	4350 217783	4296 215363	\$310	11.0	25.7	12.8	12.2	26.6
387-090-100 Matl. No.	P245/35ZR18	4351 217818	4297 215518	\$305	8.5	25.0	9.9	9.2	21.3
387-125-100 Matl. No.	P275/35ZR18	4352 217817	4298 215372	\$310	9.5	25.7	11.1	10.5	24.2
387-259-100 Matl. No.	P295/30ZR18	4353 218521	4299 215689	\$320	10.5	25.1	11.2	10.4	23.4
387-239-100 Matl. No.	P315/30ZR18	4355 219015	4310 215751	\$345	11.0	25.7	12.4	11.8	26.8
387-901-100 Matl. No.	P335/30ZR18	4356 218522	4311 215754	\$375	12.0	26.2	13.1	12.6	29.2